

SHAPE CODE® Protein Shake

Bibliografia

1. Gawędzki, J., & Hryniewiecki, L. (2010). *Żywnienie człowieka. Podstawy nauki o żywieniu. Wydawnictwo Naukowe PWN, Wydanie III, Warszawa.*
2. Burke, D. G., Chilibeck, P. D., Davison, K. S., Candow, D. C., Farthing, J., & Smith-Palmer, T. (2001). The effect of whey protein supplementation with and without creatine monohydrate combined with resistance training on lean tissue mass and muscle strength. *International journal of sport nutrition and exercise metabolism, 11*(3), 349-364.
3. Paddon-Jones, D., Westman, E., Mattes, R. D., Wolfe, R. R., Astrup, A., & Westerterp-Plantenga, M. (2008). Protein, weight management, and satiety. *The American journal of clinical nutrition, 87*(5), 1558S-1561S.
4. van Iersel, L. E., Stevens, Y. R., Conchillo, J. M., & Troost, F. J. (2021). The effect of citrus flavonoid extract supplementation on anaerobic capacity in moderately trained athletes: a randomized controlled trial. *Journal of the International Society of Sports Nutrition, 18*(1), 1-10.
5. Overdevest, E., Wouters, J. A., Wolfs, K. H., van Leeuwen, J. J., & Possemiers, S. (2018). Citrus flavonoid supplementation improves exercise performance in trained athletes. *Journal of sports science & medicine, 17*(1), 24.
6. Deutz, N. E., Bauer, J. M., Barazzoni, R., Biolo, G., Boirie, Y., Bocy-Westphal, A., ... & Calder, P. C. (2014). Protein intake and exercise for optimal muscle function with aging: recommendations from the ESPEN Expert Group. *Clinical nutrition, 33*(6), 929-936.
7. Boirie, Y., Dangin, M., Gachon, P., Vasson, M. P., Maubois, J. L., & Beaufrère, B. (1997). Slow and fast dietary proteins differently modulate postprandial protein accretion. *Proceedings of the National Academy of Sciences, 94*(26), 14930-14935.
8. Naclerio, F., & Larumbe-Zabala, E. (2016). Effects of whey protein alone or as part of a multi-ingredient formulation on strength, fat-free mass, or lean body mass in resistance-trained individuals: a meta-analysis. *Sports Medicine, 46*(1), 125-137.
9. Campbell, B., Kreider, R. B., Ziegenfuss, T., La Bounty, P., Roberts, M., Burke, D., ... & Antonio, J. (2007). International Society of Sports Nutrition position stand: protein and exercise. *Journal of the international society of sports nutrition, 4*(1), 1-7.
10. Miller, P. E., Alexander, D. D., & Perez, V. (2014). Effects of whey protein and resistance exercise on body composition: a meta-analysis of randomized controlled trials. *Journal of the American College of Nutrition, 33*(2), 163-175.
11. Morton, R. W., Murphy, K. T., McKellar, S. R., Schoenfeld, B. J., Henselmans, M., Helms, E., ... & Phillips, S. M. (2018). A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. *British journal of sports medicine, 52*(6), 376-384.
12. Paddon-Jones, D., & Rasmussen, B. B. (2009). Dietary protein recommendations and the prevention of sarcopenia: protein, amino acid metabolism and therapy. *Current opinion in clinical nutrition and metabolic care, 12*(1), 86.
13. Pennings, B., Boirie, Y., Senden, J. M., Gijsen, A. P., Kuipers, H., & van Loon, L. J. (2011). Whey protein stimulates postprandial muscle protein accretion more effectively than do casein and casein hydrolysate in older men. *The American journal of clinical nutrition, 93*(5), 997-1005.
14. Tang, J. E., Moore, D. R., Kujbida, G. W., Tarnopolsky, M. A., & Phillips, S. M. (2009). Ingestion of whey hydrolysate, casein, or soy protein isolate: effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. *Journal of applied physiology.*
15. Hartman, J. W., Tang, J. E., Wilkinson, S. B., Tarnopolsky, M. A., Lawrence, R. L., Fullerton, A. V., & Phillips, S. M. (2007). Consumption of fat-free fluid milk after resistance exercise promotes greater lean mass accretion than does consumption of soy or carbohydrate in young, novice, male weightlifters. *The American journal of clinical nutrition, 86*(2), 373-381.
16. Westerterp-Plantenga, M. S., Nieuwenhuizen, A., Tome, D., Soenen, S., & Westerterp, K. R. (2009). Dietary protein, weight loss, and weight maintenance. *Annual review of nutrition, 29*, 21-41.
17. Noakes, M., Keogh, J. B., Foster, P. R., & Clifton, P. M. (2005). Effect of an energy-restricted, high-protein, low-fat diet relative to a conventional high-carbohydrate, low-fat diet on weight loss, body composition, nutritional status, and markers of cardiovascular health in obese women. *The American journal of clinical nutrition, 81*(6), 1298-1306.
18. Krieger, J. W., Sitren, H. S., Daniels, M. J., & Langkamp-Henken, B. (2006). Effects of variation in protein and carbohydrate intake on body mass and composition during energy restriction: a meta-regression. *The American journal of clinical nutrition, 83*(2), 260-274.
19. Johnston, C. S., Day, C. S., & Swan, P. D. (2002). Postprandial thermogenesis is increased 100% on a high-protein, low-fat diet versus a high-carbohydrate, low-fat diet in healthy, young women. *Journal of the American College of Nutrition, 21*(1), 55-61.

20. Veldhorst, M. A., Westerterp-Plantenga, M. S., & Westerterp, K. R. (2009). Gluconeogenesis and energy expenditure after a high-protein, carbohydrate-free diet. *The American journal of clinical nutrition*, *90*(3), 519-526.
21. Frestedt, J. L., Zenk, J. L., Kuskowski, M. A., Ward, L. S., & Bastian, E. D. (2008). A whey-protein supplement increases fat loss and spares lean muscle in obese subjects: a randomized human clinical study. *Nutrition & metabolism*, *5*(1), 1-7.
22. Pal, S., & Ellis, V. (2010). The chronic effects of whey proteins on blood pressure, vascular function, and inflammatory markers in overweight individuals. *Obesity*, *18*(7), 1354-1359.
23. Pal, S., Radavelli-Bagatini, S., Hagger, M., & Ellis, V. (2014). Comparative effects of whey and casein proteins on satiety in overweight and obese individuals: a randomized controlled trial. *European journal of clinical nutrition*, *68*(9), 980-986.
24. Veldhorst, M. A., Nieuwenhuizen, A. G., Hochstenbach-Waelen, A., van Vught, A. J., Westerterp, K. R., Engelen, M. P., ... & Westerterp-Plantenga, M. S. (2009). Dose-dependent satiating effect of whey relative to casein or soy. *Physiology & behavior*, *96*(4-5), 675-682.
25. Bendtsen, L. Q., Lorenzen, J. K., Gomes, S., Liaset, B., Holst, J. J., Ritz, C., ... & Astrup, A. (2014). Effects of hydrolysed casein, intact casein and intact whey protein on energy expenditure and appetite regulation: a randomised, controlled, cross-over study. *British journal of nutrition*, *112*(8), 1412-1422.
26. Baer, D. J., Stote, K. S., Paul, D. R., Harris, G. K., Rumpler, W. V., & Clevidence, B. A. (2011). Whey protein but not soy protein supplementation alters body weight and composition in free-living overweight and obese adults. *The Journal of nutrition*, *141*(8), 1489-1494.
27. Shyam, S., Ramadas, A., & Chang, S. K. (2018). Isomaltulose: Recent evidence for health benefits. *Journal of Functional Foods*, *48*, 173-178.
28. König, D., Zdzieblik, D., Holz, A., Theis, S., & Gollhofer, A. (2016). Substrate utilization and cycling performance following Palatinose™ ingestion: a randomized, double-blind, controlled trial. *Nutrients*, *8*(7), 390.
29. Brusick, D. J. (2008). A critical review of the genetic toxicity of steviol and steviol glycosides. *Food and Chemical Toxicology*, *46*(7), S83-S91.
30. Carakostas, M. C., Curry, L. L., Boileau, A. C., & Brusick, D. J. (2008). Overview: the history, technical function and safety of rebaudioside A, a naturally occurring steviol glycoside, for use in food and beverages. *Food and Chemical Toxicology*, *46*(7), S1-S10.
31. Gęsiński, K., Majcherczak, E., & Gozdecka, G. (2013). Stewia (*Stevia rebaudiana* Bertoni) jako źródło wybranych mikroelementów. *Inżynieria i Aparatura Chemiczna*, *53*(2).